

readme_EN - Sequoia 17

What's new in Sequoia 17 ?

The most important innovations in Sequoia 17 at a glance:

- **Optimized export workflow** with new export window and export list to process several formats or projects at once
- **Reworked crossfade editor** for more consistent window handling
- **Take Lanes**: Comping, i.e. combining sections from different recording takes, no longer takes place in a separate Take Composer window, but directly in the project below the track in the new Take Lanes
- **Marker track**: Markers are displayed in their own track. The height of the track can be freely adjusted so that long marker names are no longer cut off by following markers. The markers can now also be colored, the Marker track head contains buttons for creating, coloring and locking markers.
- **AudioWarp**: Warp markers can now be set in audio objects to touch and move the audio, to correct irregularities in a recording, or to change the audio rhythmically.
- Many improvements and **improved GUI design** for working in the project window:
 - New, meaningful mouse pointers for the editing areas in the track
 - Numerically adjustable volume directly at the object
 - optimized display of notes in a MIDI object
 - improved default settings for many display options
 - Color button in the object editor sets the object background color.
- **Dockable mixer and plug-in browser**
- Plug-ins
 - **External hardware effects** available via plug-ins
 - Support for **MIDI plug-ins** and extended MIDI routing
 - VST3 plug-in compatibility improvements
 - **Softube Console 1** Support
 - **ARA plug-ins** can now be inserted as track effects
- **Help and manual** have been completely revised and updated

New features and changes in detail

08/21/2024 Sequoia 17.1.1 Build 24218

- Maintenance contract / Enterprise version only: FX I/O Matrix for plug-ins
 - [SEQ-8736] Added help button
 - [SEQ-8658] Added tool tips
 - [SEQ-8735] Wrong reset for more plugin channels than track channels or vice versa
- [SEQ-8541] ARA support for RipX DAW (under construction)
- [SEQ-8700] ARA support for VocALign 6 Pro
- [SEQ-6021] Strip Silence: silence detection reworked
- [SEQ-8714] Improved performance after closing system dialogs or inside of menu / keyboard setup
- Improvements of display on HDPI/4k monitors when using application scaling (still under construction)
- Bugfixes
 - Recording
 - [SEQ-8727] Crashes when record arming more than 256 tracks
 - [SEQ-8727] Crash while record start after exchange USB hard disc
 - [SEQ-8712] GUI Performance issue with interleaved recording
 - Arranger
 - [SEQ-8737] Wrong object start when dropping multiple audio files from explorer
 - [SEQ-8684] Casual wrong hiding of newly created tracks
 - [SEQ-8763] Re-ordering tracks in CD arrangement mode didn't work anymore
 - [SEQ-8657] Crossfade editor: footer volume display was still visible and active
 - Export
 - [SEQ-8731] Issues with file names for multi format export with choose filename later
 - [SEQ-8734] Mono export issues
 - [SEQ-8765] Latency compensation issues with realtime export
 - [SEQ-8708] Export dialog - realtime export
 - Possible endless requester "project is already open"
 - Option "from project start to last object" didn't work correctly
 - Mixer / Plug-ins
 - [SEQ-8707] Wrong plugin editor size after switching from parameter dialog
 - [SEQ-8697] Cursor drawing glitches in marker lane after bypassing plugins
 - [SEQ-8741] Mixer button "Hide tracks" didn't work anymore
 - [SEQ-8745] Routing of just added tracks could become corrupted, when adding or re-ordering other tracks
 - [SEQ-8729] Crash in AutoAlignPost(ARA) while using object time stretching
 - Surround
 - [SEQ-8755] Wrong mixer surround peakmeter display for more than 12 channels
 - [SEQ-8728] Monitoring section: upmix matrix dialog from stereo master to surround was not available anymore

- [SEQ-8747] Disable primary output editing for surround busses (could result in crashes)
- [SEQ-8684] Adding surround folders created several undo steps
- Automation
 - [SEQ-8694] After switching between object and track automation the deactivated automation could still have selected points that responded to commands
 - [SEQ-8773] Missing updates for automation button of internal FX
- [SEQ-6842] VSTi playback could be silent after switching engines
- [SEQ-8367] Time display: text was not centered

06/25/2024 Sequoia 17.1 Build 24216

- Maintenance contract only
 - [SEQ-5669] FX I/O Matrix for surround plug-ins
 - Open it from the "Plug-in" menu of a VST Plugin dialog.
 - There are two matrices to route track audio channels into plug-in input channels and plug-in output channels to track audio channels. Use it to correct channel assignments.
 - Reset buttons to restore the default routings and Delete buttons to remove all routings are provided for each matrix and for both matrices at once.
 - Note that side-chain inputs are not taken into account yet.
- Import / Export
 - Export dialog
 - [SEQ-8061] New properties in file naming template editor
 - New "Channel count" property: number of audio channels of exported file
 - New more "fine-grained" date placeholders
 - [SEQ-8061] Improved properties in file naming template editor
 - "Bit depth" placeholder now without "Bit" unit for more flexibility
 - Two separate "Sample rate" placeholders, in Hz and kHz, both without "Hz"/"kHz" unit for more flexibility
 - Legacy bit depth and sample rate placeholders will be replaced automatically when loading old export presets or naming template presets
 - [SEQ-8060] "Put in Subfolder" has also a template editor like the one for file name now (instead of just an edit field)
 - Export job list improvements based on various user feedback
 - [SEQ-8344] Several fixes and improvements
 - Adding jobs to the list is possible by double click now
 - Multiple selection of jobs is considered by the "start" "reset" and "remove" job buttons now
 - [SEQ-8409] Several usability fixes with project chooser widget
 - Adds projects with enter key when they are selected
 - [SEQ-8370] Improved keyboard handling / accessibility for export list: Navigate through export list with arrow keys, operate buttons (start, reset, remove) with enter key.
 - Bugfixes
 - [SEQ-8391] Order of added projects is kept now.
 - [SEQ-4111] New audio files are now automatically placed into an "Audio" sub folder of the project folder
 - [SEQ-8329] Importing multiple interleaved wavs now triggers a dialog to choose to import them below each other or in a row
 - Fixed an issue where multiple wavs imported below each other may import onto a surround folder
 - Bugfixes
 - [SEQ-8228] Export into Surround+Stereo file failed when Stereo Master and Surround Master are routed to the same device number
 - [SEQ-8586] Track freeze / unfreeze commands didn't work for multiple tracks
 - [SEQ-8586] Wrong track name after unfreeze
 - [SEQ-8558] Export dialog: Wave with codec didn't work
 - [SEQ-8674] Project compatibility warning was shown for each clipstore entry when saving projects created in old versions
 - [SEQ-8650] Issues with BWF MP2 export
- Automation
 - [SEQ-7280] Move automation points via object move shortcuts (Ctrl+Alt+1/2) now also works with step width 2 and allows value change with volume change shortcut (Ctrl+Alt+7/8)
 - [SEQ-8340] View options: Scaling the waveform with fades/curves now has an additional scaling option for object fades and volume curves only (without track volume curves)
 - **This new option also is the new default setting**
 - [SEQ-8075] [SEQ-6985] New commands in automation menu to show only Vol/Pan/AUX/EQ/Plug-in automation lanes
 - [SEQ-8578] Don't show automation in crossfade editor
 - Bugfixes
 - Link curves to objects
 - [SEQ-8077] Creation of several automation points with wrong values when using timestretch in object editor
 - [SEQ-8050] Avoid creating automation points in empty curves
 - [SEQ-8029] Moving objects with menu commands or keyboard shortcuts could delete Latch automation
 - [SEQ-7712] Objects moved to another track could loose object automation
 - [SEQ-7712] Wrong automation lane display after moving objects with automation behind project end
 - [SEQ-8649] Issues with latch automation and "Link curves to objects" after playback stop
 - [SEQ-8587] Show automation lanes command didn't work for multiple tracks
 - [SEQ-8152] Automation preview didn't work correctly for AUX sends
- Arranger / Track editor
 - [SEQ-7886] Submix folder handling via menu and shortcuts
 - [SEQ-8354] New menu command to select only the active track only (default shortcut Shift+Alt+Enter, only available after resetting shortcuts or ini)

- [SEQ-8524] With "Continuous playback while editing" the cut mouse mode shows the scissor cursor also while playback is running
- [SEQ-8424] Reverted to old style range cursor (but with high DPI adaption)
- [SEQ-8246] Lock groups are displayed as colored spot on lock buttons now
- [SEQ-8518] Pasting a range with skip left now adjusts at the right border (and gives an error message, if pasted range or linked objects would drop below position 0)
- Bugfixes
 - [SEQ-8300] Timestretch / pitch-shift mouse mode: The object end handle at right object border is shown even if the end is covered by the next object
 - This enables the user to edit the time-stretch factor in this situation
 - Link markers to objects
 - [SEQ-8522] Issues with some object modes when arranging objects via menu Object > Move objects/crossfade
 - [SEQ-8535] Ignores markers following the moved objects when "Link until silence" is active
 - [SEQ-8198] Markers with reference track "All" were not moved when inserting objects
 - Folder tracks
 - [SEQ-8556] Recording track color highlight was not displayed in closed folder tracks
 - [SEQ-8570] Wrong object border display in folder tracks with reference track
 - [SEQ-8317] Waveform did not zoom in closed folders
 - [SEQ-8316] Resizing of multiple tracks could open folders and showed hidden tracks
 - [SEQ-8401] Very small objects were not displayed in folder view
 - [SEQ-8623] Menu for folder reference track only supported up to 126 contained tracks and didn't use menu columns
 - [SEQ-8601] Routing issues when adding new tracks inside or after submix folder
 - [SEQ-8456] Optimized object group number display for small objects
 - [SEQ-8517] Optimized object handle positions
 - [SEQ-8590] Issues with object/start end handling in footer for small objects
 - [SEQ-8604] Context menu for peakmeter was missing in arranger and track editor
 - [SEQ-8065] Track editor updates
 - Dual pan was missing in vertical skin
 - Phase button didn't work in horizontal skin with active dual pan
 - Blue fader handles for busses similar to mixer
 - [SEQ-8646] Mouse wheel lock for faders and knobs after scrolling in track head didn't work anymore
 - [SEQ-8643] Graphic issues in track head with dual pan
 - [SEQ-8378] Track number in submix folders was hard to read in Carbon skin
 - [SEQ-8686] Issues with deleting several objects at once and slip left
- Surround handling
 - [SEQ-8494] [SEQ-8550] Better access to the Surround downmix matrix from mixer AUX/Output area
 - Tooltip for Shift+Right click on AUX send
 - Menu command in the AUX send menu renamed to "Surround downmix matrix"
 - Menu commands to access downmix matrix in track output menu added
 - [SEQ-8510] Phase invert option for surround sources
 - Available in left click menu in mixer panning section
 - Display in surround pan dialog via tab menu
 - [SEQ-8514] New menu entry "Remove output routing" in tabs of track pan dialog (for non-primary outputs only)
 - [SEQ-8495] Default source positions and surround pan mode for 3d Surround setups reworked
 - 3D VBAP, stereo track outputs to according speaker, mono tracks to center speaker
 - [SEQ-8615] Initial surround panner setup for tracks can now be controlled via presets containing the text "Default", search order is
 - default_mono_/default_stereo_ + Surround-Presetname (gss), e.g. "default_mono_5_1 ITU"
 - Use the "Save as default" entry in the preset menu
 - **Previous template.vip mechanism is removed**
 - Bugfixes
 - [SEQ-8318] Interleaved / surround objects drawing issues
 - [SEQ-8360] Object handling improvements for surround folders and folders with reference track
 - Select next / previous object shortcuts
 - Zoom to selected objects
 - Preview mouse mode
 - Fade handles menu
 - Audio marker display
 - [SEQ-8319] Importing interleaved wave files as (surround) folders sometimes broke already existing folders
 - [SEQ-5218] Importing an interleaved wave file on a surround folder with different channel count now show a warning message about creation of a new surround folder
 - [SEQ-8513] Some routing issues in surround panner (doubled primary out display, bypass inconsistencies)
 - [SEQ-8287] Surround folder missing display for incomplete mute/solo/monitoring states
 - [SEQ-8287] Surround folder monitoring switch didn't work
 - [SEQ-8534] Selecting a plug-in as surround panner closed the panning dialog
 - [SEQ-8555] Opening online help with F1 in pan dialogs was broken
 - [SEQ-8478] Some issues with LFE loading from surround setups fixed
 - [SEQ-8514] Missing updates of tabs in pan dialog after using output/AUX bypass or reset in mixer
 - [SEQ-8603] Space didn't trigger playback in pan dialogs
 - [SEQ-8527] Surround and pan dialogs flickered while moving
 - [SEQ-6241] No routing matrix when routing from surround bus / folder to stereo (did only work for surround masters)
 - [SEQ-6241] When inserting the first surround bus the dialog shows "Surround master" according to existing functionality
 - [SEQ-8554] Copy-Paste surround folder: Faders were not linked in pasted folder

- [SEQ-8615] Mixer setup changes
 - New option "Force mono tracks"
 - This way you can benefit of the above surround preset handling for mono tracks
 - New preset "Surround (Mono Tracks)"
 - Left click in mixer now opens drop down, right click opens dialog
- Take handling / Take lanes
 - [SEQ-8630] Allow to delete obsolete or all take entries in project status dialog - added progress bar
 - [SEQ-8613] New S/D cut option: Copy takes with cut - default off. Prevents possible performance issues when using a lot of takes in S/D Cut.
 - [SEQ-8080] Audio and MIDI takes can be switched together in take lanes
 - [SEQ-8617] Snap didn't work in take lanes
 - [SEQ-8613] Take number did grow when just moving objects, possibly leading to delayed playback start
- Window handling / Docking
 - [SEQ-8405] Use Ctrl key while dragging a window to avoid docking
 - [SEQ-8395] Horizontal mixer size is stored globally now
 - Disabled horizontal adaption of mixer window when changing projects or adding tracks
- [SEQ-8445] "log" and "exp" naming for fade curves swapped to be consistent with common naming
- [SEQ-8540] ARA support for Syncro Arts Revoice Pro Link 5
- Bugfixes
 - [SEQ-8299] Marker manager: Sorting by reference track fixed
 - [SEQ-8410] MuSyC: "Play always Source..." didn't work with transport console
 - Crossfade Editor
 - [SEQ-8350] Issues with collision detection
 - [SEQ-8156] Source-Destination special mode now only shows single view
 - [SEQ-8682] F10 could not be used as shortcut anymore
 - [SEQ-8417] Cursor key handling disabled, e.g. to avoid conflicts with arranger zoom commands
 - In Sequoia you can deactivate "Ignore mixer keys" for old behavior
 - [SEQ-8580] Folders were displayed with black background in crossfade editor
 - [SEQ-8156] (DE only) Source-Destination special mode menu entry now "Source-Destination-Schnittmodus"
 - [SEQ-8536] Macro "crossfade.active" ignored on/off parameter, although stated as supported in MacroCommand.list
 - [SEQ-8019] Take Lanes: Take lane state wasn't restored when closing the crossfade editor
 - [SEQ-8336] Crash when playing objects with the same compressed file on different tracks and multiple CPU cores used
 - [SEQ-8400] Possible wrong grid bar text color after skin change and restart of program
 - [SEQ-8473] After deleting a recording, 'Stereo Pan' could be displayed in the object
 - Mixer
 - [SEQ-8355] Sends On Fader didn't show the fader handle in the target AUX track
 - [SEQ-8374] Only first surround bus fader handle was colored blue
 - [SEQ-8374] Improved fader handle reset after deactivating Sends-on-fader
 - [SEQ-8355] AUX send to same track can't be activated anymore
 - [SEQ-8303] Shift-click for finetune tooltip description was missing for some mixer, track editor and object editor controls
 - [SEQ-8385] Shortcut Ctrl+A for selecting all tracks now considers tracks that are only visible in the mixer if the mixer has focus
 - ARA
 - [SEQ-8436] Audio to MIDI: Creating a new track if needed didn't work anymore
 - [SEQ-8472] Invalid ARA object state after unfreeze
 - [SEQ-8386] Melodyne: In some projects with tempo markers, Melodyne no longer showed blobs
 - Time display
 - [SEQ-8549] Lyrics marker display flickered while recording
 - [SEQ-8568] Graphic glitches with time unit milliseconds
 - [SEQ-6784] Missing file menu entry for range list export added
 - [SEQ-8552] Prevent freeze command for master and folder tracks
 - [SEQ-8258] After closing Spectral Cleaning without any edits, no FX file will be created
 - Confusing SC marker in objects is not used anymore
 - Applied SC can be seen by audio markers
 - [SEQ-8591] Several scaling and drawing issues with nudge edit in toolbar
 - [SEQ-8648] Some language adaptations (DE/EN/FR)
 - [SEQ-8569] Prevent sorting by columns in routing manager
 - [SEQ-8158] HWC focus was changed for audio preview in file or soundpool manager
 - [SEQ-8612] ARA: Problems with Vocalign Ultra if inserting into a project after removing it before
 - [SEQ-8531] Possibly corrupted mixer layout after maximizing
 - [SEQ-8633] Fixes some inconsistencies between main menu, offline FX, automation and help menu
 - [SEQ-8609] Possible focus issues after closing crossfade editor
 - [SEQ-8554] Several fixes for copy&paste of tracks (e.g. copy of missing VSTi or AUX busses)

05/13/2024 Sequoia 17.0.4 Build 23433

- [SEQ-8274] Improved "Project status" dialog
 - Shows number of stored takes in project
 - ARA Info now also works for other plug-ins than Melodyne
 - [SEQ-8630] Allow to delete ARA, obsolete or all take entries with "Clean up" button
- Bugfixes
 - [SEQ-8571] Issues with take lane editing and activated SD cut option "Copy markers with cut"
 - [SEQ-8592] User administration didn't work correctly for some settings since Sequoia 17

- [SEQ-8592] Command "Reset program settings to default" didn't work correctly with user administration
- [SEQ-8460] Possible crashes when closing projects after using the Clip Manager
- [SEQ-8334] Carbon: wave editor grid was hardly visible
- [SEQ-8610] [SEQ-8607] FR language text fixes and improvements
- [SEQ-8620] Crash after inserting external FX from FX browser
- [SEQ-8602] Possible audio distortion when playing objects with AUX send
- [SEQ-8595] Export dialog: 'Split at marker' could overwrite previously created files
- [SEQ-8538] Grid and marker track didn't scroll if the first visible track was hidden
- [SEQ-8528] Crash after changing speaker configuration from surround pan dialog
- [SEQ-8525] Automatic plug-in scan in system and user directories could not be switched off anymore
- [SEQ-8532] Crash when adding VST instrument by drag and drop
- [SEQ-8488] Phase invert button in mixer could not be operated with Enter key
- [SEQ-8505] Crash with marker list export fixed
- Multi-Format-Export (exporting more than one format at once)
 - [SEQ-8519] Split at marker option didn't work correctly
 - [SEQ-8475] Exporting of selected objects didn't work correctly
 - [SEQ-8504] Writing ID3 and other meta data didn't work

03/12/2024 Sequoia 17.0.3 Build 23431

- [SEQ-8411] New command "Reset program settings to default" in help menu, does the same as loading the default INZ container in start selection dialog or program settings
- [SEQ-8333] Export naming templates: marker number placeholder now defaults to 2 digits again (using more digits only if total number of markers exceeds 99)
- [SEQ-8339] MIDI SysEx is now activated automatically without message box when using HWC or MMC
- Bugfixes
 - [SEQ-8463] Removed Print Center still was visible
 - [SEQ-8349] M4A/AAC Import: 'sample count zero' error after importing more than one file
 - [SEQ-8449] Range based copy and S/D cut including automation data created ramps
 - [SEQ-8452] Object plug-in browser always inserted in first slot, not after existing plug-ins
 - [SEQ-8440] Crash after editing automation curves
 - [SEQ-8246] Track head mute/solo/record/lock states were not correctly displayed immediately after skin change
 - [SEQ-8397] Problems with drag'n'drop on the last track when it was an empty folder
 - [SEQ-8341] Internal FX dialogs could not be brought in front when re-opening
 - [SEQ-8363] VSTi: No 'project changed' state was set after inserting a VST instrument
 - [SEQ-8394] Possible crashes in AAF Export with option "Copy only the used audio material"
 - [SEQ-8466] MIDI Editor: Possible Crash when notes were selected and the controller editor window was too small
 - [SEQ-8381] Export dialog: Naming templates didn't work correctly with realtime export
 - [SEQ-6108] Problems after deleting and rewriting of an automation from internal plugin GUI
 - [SEQ-8332] Creating a new project with a new name from a template triggered the compatibility warning about saving older versions projects
 - [SEQ-6128] No update of selection marks in mixer after drag'n'drop of plug-ins
 - [SEQ-8472] SpectraLayers: crash during unfreeze fixed
 - [SEQ-8450] Video recording state was not displayed correctly in track head or mixer
 - [SEQ-8328] Export in multiple formats didn't work for multi-track export
 - [SEQ-8296] Some filename templates didn't work correctly for multi-track export
 - [SEQ-8320] Duplicate and copy of folder tracks didn't work correctly
 - [SEQ-8415] Possible wrong export file names if they contained '.' in object or project names
 - [SEQ-7911] Volume automation was modified when drawing in an empty lane

02/02/2024 Sequoia 17.0.2 Build 23428

- [SEQ-8393] VST MIDI Send to another track didn't work anymore
- [SEQ-8365] Some VST3-Plugins didn't work as MIDI-Plugins (e.g. BlueArp)
- [SEQ-8371] Crashes when changing DeNoiser sample while playback
- [SEQ-8412] Play cursor flickered when changing the start position during playback
- [SEQ-8384] Line breaks entered in the info manager for object comments were not displayed correctly in the object editor
- [SEQ-8366] ARA: Program freeze with VocAlign plugins after inserting as track effect in empty track
- [SEQ-8416] ARA: Crash after editing in the info manager
- [SEQ-8357] Export dialog: Export to 32bit float with glue selected objects option active was exported as 24 Bit instead.
- [SEQ-8406] Wrong object footer text color for folders in Carbon skin
- [SEQ-8400] Wrong arrangement text color after skin change and restart of program
- [SEQ-8398] Some corrected translations (EN)
- [SEQ-8380] Muted objects drawn with half wave forms created graphical glitch
- [SEQ-8369] Wrong AUX send coloring in mixer with -inf send level
- [SEQ-8346] Marker line was drawn while moving CD and punch markers
- [SEQ-8408] Duplicated drop-down display in object editor
- [SEQ-8274] Possible issue with creating too many take entries after moving recorded objects

01/15/2024 Sequoia 17.0.1 Build 23424

- [SEQ-8023] Start dialog: "What's new" link to corresponding help page added
- [SEQ-7282] Multiple track selection with shortcuts in arranger and mixer
 - New commands (under Tracks > More > Select tracks)
 - "Select all tracks"
 - "Add previous track to selection" (shortcut Shift + Alt + Up)
 - "Add next track to selection" (shortcut Shift + Alt + Down)
 - Use Ctrl + A can to select all tracks
 - in the mixer
 - in project window, if track name has focus
- [SEQ-7944] New main menu commands added that were only present in context menus before
 - Menu Edit > Tempo > Tap tempo... for the Tap Tempo Dialog from the tempo menu of the transport console
 - Menu Edit > Crossfade > Crossfade editing > Log./exp. from the object fade handle context menu
 - Menu Track > More > Track color... for the color menu from the track head color area
- [SEQ-8255] Skin change now also resets default track / object colors
- [SEQ-7423] A vertical line is drawn while moving a tempo marker
- [SEQ-7791] Separator between tracks optimized - further fine-tuning
- Bugfixes
 - [SEQ-8290] Bug with "Link objects to the left" rippling object mode: Deleting object caused movement of objects at same position in other tracks
 - [SEQ-8211] Save Complete VIP: Problems with interleaved files and virtual stereo files
 - [SEQ-8311] Add some missing localisations (ES/FR)
 - [SEQ-8302] Column widths in Marker manager were not restored
 - [SEQ-8289] Group numbers in objects were hidden even when enough space was available
 - [SEQ-8256] Zoom to selected objects didn't zoom completely if the selection included all tracks
 - Plug-ins / FX
 - [SEQ-8315] Crash when opening EQ in surround tracks
 - [SEQ-8293] Playback dropouts with FabFilter plug-ins used on objects
 - [SEQ-8307] Problems to stop playback with the space key in Soundtoys plug-ins
 - [SEQ-8288] Pasting a copied object plug-in chain to multiple selected objects inserted the plug-in (chain) on the active object only
 - [SEQ-8337] Mixing on neighbouring mono channels of an output device caused crackling for external FX
 - [SEQ-8257] Track FX chain reset and preset loading via Track FX button menu didn't work for multiple selected tracks
 - [SEQ-8356] Problems with VST3 Plug-ins without parameter name handling
 - [SEQ-8348] UADx-Plugins didn't recall their settings from project when using latest UADx update
 - [SEQ-7804] ARA VocAlignUltra state was not completely restored after project loading (fix also requires latest VocAlign update v 1.3.67.1)
 - Mixer
 - [SEQ-8306] Removed tooltip for scrollbar in mixer
 - [SEQ-8322] Some fixes for restoring mixer window size after loading a project
 - Sends on Fader
 - [SEQ-8248] Sends on Fader could cause overwriting of AUX send after using the "visible" checkbox in AUX send dialog
 - [SEQ-8313] Surround master AUX sends were activated with Sends on Fader
 - [SEQ-8314] Issues with AUX automation (e.g. writing automation in surround busses)
 - Recording
 - [SEQ-8284] Recording settings: "Format" label would be visually covered by group box frame (EN localisation only)
 - [SEQ-8232] Warning added for attempts to use track output recording and the performance option "Deactivate FX on empty or silent tracks for ASIO" on
 - Import / Export
 - [SEQ-8239] Screen flickering when exporting multiple wave files without opening them
 - [SEQ-8254] Improved overwrite warning if files are already opened
 - [SEQ-8294] Glue Objects until silence: Selected objects without cuts were not processed
 - [SEQ-8338] AAF/MXF Import: Embedded audio was always silent
 - MIDI / VSTi
 - [SEQ-8356] MIDI Plug-ins didn't work anymore from build 23418
 - [SEQ-8347] VSTi: Hanging notes with Yamaha NoteOff conversion if track MIDI output channel was set
 - Crossfade Editor
 - [SEQ-8295] Vertical scrolling with mouse wheel didn't work after hidden tracks
 - [SEQ-8298] Track editor command / button is now disabled
 - [SEQ-8298] Mixer keys (Cursor keys, Pos1,...) were not handled

12/07/2023 Sequoia 17.0 Build 23418 - Release


- General changes
 - [SEQ-8054] new Sequoia 17 copy protection
 - Keys starting with P2- aren't used anymore
 - Sequoia License Central can be used for activating trial license
 - All maintenance contract only features of Sequoia 16 are available for all users now
 - Video output on Blackmagic video cards
 - Auto-conforming
 - Allows transferring of the edits of one track of a reference file to the first object of all tracks selected for processing in the current project
 - Import possible from EDL (CMX3600)
 - Batch / Watch folder processing
 - New option for removing silence before and after audio material
 - Configure up to 8 independent visualization sources
 - Custom toolbar icons for macros can be defined (similar to custom icons for menu commands)
 - Time display
 - New option for subframe time display for SMPTE formats in project options
 - New time display commands for timestamp of current object and time difference to original timestamp
 - EDL import/export of EDLs compatible with Blackmagic Design's DaVinci Resolve
 - 64 Bit version only, no 32 bit version anymore
 - Sequoia_u_x64.exe renamed to Sequoia_x64.exe. Please consider this, when using own links or scripts.
 - Italian language is not available anymore
 - [SEQ-7841] New HTML help system, which opens in standard system browser
 - [SEQ-7154] separate *Support* tab in the *About Sequoia...* dialog
 - new main menu entry *Help > Support...* which directly leads to the new *Support* tab
 - Project compatibility warnings
 - [SEQ-7819] when loading current projects in older program versions
 - [SEQ-7771] when opening/saving projects created in older versions
 - [SEQ-8249] [SEQ-7616] Changed several default program settings
 - Following settings are default active now
 - Scan user and system VST folders automatically
 - Recording: Save each take in a new file
 - Destructive Effects: Generate a new file for each FX calculation
 - Crossfade editor: Default relative zoom width for crossfades 10%
 - Metronome: Default volume -10 dB
 - TrackSpeed: Default buffering time 2 s
 - No automatic volume fader mode change for MIDI tracks
 - Soft split for MIDI objects
 - No default assignment of NumLock key for scrubbing
 - Reduced default number of cores for multi CPU handling
 - Knob characteristics same as faders
 - Vertically optimize MIDI-note display
 - Universal mouse mode
 - Spectrogram: Logarithmical scaling
 - 99 undo steps
 - Use middle mouse button for project navigation
 - Filled spectroscopy visualization (might require updated workspaces)
 - [SEQ-8249] ASIO dropout warnings are default activated again
 - New option "Send analysis data to MAGIX", can be deactivated in general program settings
 - [SEQ-5653] .ini files for program settings and plugin favorites are saved instantly, not just at end of a program session. So changes in the settings are maintained even after a crash.
 - Previous .ini files are kept as *_backup.ini and may be restored manually by renaming the files
 - [SEQ-8277] Reset stored window positions of several windows (Export, Crossfade editor) when using "All windows to mainscreen" command with pressed Shift key
 - [SEQ-7936] The path of the active project file is logged in the crash.log in case of a crash event
 - [SEQ-8122] Updated to Qt 6 framework
 - [SEQ-7980] **Performance improvements** for
 - Use of many files (e.g. with every take in a new file) or many objects
 - Recording / playback with many tracks / devices
 - Undo with object EQ on many objects
 - [SEQ-7355] projects containing a lot of automation data
 - Faster saving and loading of projects
 - Faster drawing automation data e.g. at wide zoom levels
 - [SEQ-7526] Faster undo creation by copying only changed track automation curves
 - SEQ-6594 Faster moving, deleting or adding tracks
 - SEQ-7047 Faster creation of new projects, faster skin change
- Recording / Playback
 - [SEQ-6806] Support for 384 mono I/O (experimental up to 512)
 - [SEQ-7980] More than 64 Mono In or Out Devices are grouped into several submenus
 - [SEQ-8010] Support for **ASIO float recording of clipped audio** (depending on audio device) - level still can be adjusted after recording

- [SEQ-7991] Support for IK AXE ASIO device with only one input and three output channels,
 - Last channel of devices with odd channel count can be accessed in general
- [SEQ-7798] New playback option added to pause autoscroll until play stop when clicking in the arranger
- [SEQ-7702] Pause Autoscroll when 'Continuous playback while editing' is active
- Only changes in the timeline made during recording are undone when cancelling the recording. Other changes (e.g. cuts or automation data) are preserved
- SEQ-6452 Playback doesn't stop anymore at range end for continuous playback mode (when loop mode isn't active)
- SEQ-6970 Record pause didn't work in "Continuous playback while editing" mode
- SEQ-5820 Edit while Record: adapted wording + toolbar button
- SEQ-6682 Take Manager: adapt object copies for copy & pasting tracks
- SEQ-6958 Record in loop mode didn't switch to most recent take
- SEQ-6559 No Comparisons display limit while recording anymore

- [SEQ-6605] **Take Lanes** for comping audio recordings
 - Open via button on the left or command Track "Show take lanes" (default shortcut Ctrl+Shift+Enter)
 - Replaces old Take Composer function
 - Take lanes can be shown for just one track
 - Shows all available takes for all objects in a track
 - In Universal mouse mode takes can be copied/activated by single click, drawing a range or dragging borders of used takes
 - this is similar to using the scissor tool in the old Take Composer
 - With grouped objects on several tracks takes are exchanged on all tracks (multi-track comping)
 - If takes are not available on other tracks, they are marked with red background
 - There's an error display in the status bar, if you try to use them
 - Solo button on track head of take lane
 - In Range mouse mode you can use Ctrl + C for copying ranges, e.g. from other time positions (without multi-track handling yet!)
 - [SEQ-7809] Unused take entries are removed now after deleting objects or loading projects from older versions
 - [SEQ-7767] Take Composer menu entries and button removed
 - [SEQ-7736] Tooltips for take lanes added
 - [SEQ-7735] Constant vertical scroll speed - independent of track height
 - [SEQ-7974] Take Lanes for MIDI objects
 - [SEQ-7765] Cutting takes with grouped recordings doesn't break the grouping anymore if a take is missing for some tracks
 - [SEQ-7670] Lanes are now restored after loading a project
- [SEQ-7040] **AudioWarp** markers
 - Allows stretching of objects audio content (in addition to the project tempo map)
 - Select the Timestretch mouse mode to edit warp markers
 - Click into an object for adding a Warp marker at the cursor position
 - Click and drag an existing Warp marker in the upper half of the object for stretching the object
 - Click and drag an existing Warp marker in the lower half of the object for moving the anchor position of the warp marker
 - Right click on an existing Warp marker to show a context menu
 - The warp markers are stored in the object, not in the object's audio file. Although they are displayed in the object like audio markers they could differ for different objects referring to the same audio file.
 - Copying an object will copy the warp markers, too
 - Warp markers currently require the Musical tempo adjustment option set to active which is done automatically when adding a warp marker
 - Timestretching an object with activated musical adjustment is now possible thanks to the Warp markers
 - Load/save and undo/redo is supported
- [SEQ-7419] **Marker Track**
 - Project markers are now displayed in dedicated track
 - Other markers like CD track indices or Tempo markers still are displayed in the marker bar on top
 - Track is resizable, displaying all markers according to available vertical space for improved overview e.g. with many markers
 - Multi-selection of markers is possible for moving, deleting or color assignment
 - Individual marker colors can be changed via context menu on markers, in marker track head or in marker manager
 - In the track head there are some useful commands e.g. for creating new markers
 - [SEQ-7690] Marker lines drawn on top of all tracks when moving markers
- Arranger
 - **Skin update**
 - New Carbon & Canis Skin
 - Graphical elements have new coloring and flat design
 - Track Editor has a new layout
 - Mixer master fader and peakmeter have now the same height as the tracks
 - Track Editor & Mixer peakmeter layout changed. Peak indicators are now side by side, scale is on the left
 - Playcursor has a width of 3 pixels for better visibility
 - Camo, StarGray and 'Style v10' skins won't be delivered anymore with the program
 - Old inverted range display in older skins like StarGray is not supported anymore and automatically updated to new semitransparent display
 - New option for showing new object text footer. Benefit: Waveform is not covered by texts and object lock anymore
 - New option for showing object volume in object
 - New option to disable vertical arranger zoom when resizing window (vertical arranger zoom is not anymore influenced by docking manager height)
 - Object volume & crossfade handles - option for displaying them always on top object border (view options)
 - Autoscroll for moving objects or tracks during playback
 - Crossfade handling
 - New mouse cursors for changing start, end and crossfade position of objects
 - New crossfade moving behavior. Object borders and crossfades can now be moved independently.
 - Crossfades can be moved without moving the object itself (object overlapping area)
 - Object fade length adapts now to object resizing when fade-in and fade-out collide
 - With active 'continuous playback while editing' a new range isn't created anymore by copy-pasting objects
 - Moving view via dragging middle mouse button (works in Arranger and MIDI Editor). New option in mouse wheel settings
 - [SEQ-7835] Heights of lanes are also reset when resetting track heights
 - [SEQ-7811] TS/PS mouse mode always allows range editing similar to universal mode now, independent from previous mouse mode
 - [SEQ-7727] Scrolling with mouse wheel is now pixel proportional
 - [SEQ-6421] Alternating track colors now includes selected tracks as well
 - Folder Tracks
 - [SEQ-6567] Track context menu: new Move to folder track functions

- New in Track and Folder track menu: Duplicate Tracks
- [SEQ-6846] Control monitoring status of contained tracks
 - If not all contained tracks are monitored, only the border of a folder's monitoring button is shown activated
- [SEQ-7736] Tooltips for universal mouse mode added
 - only visible in extended tool tips mode
- [SEQ-7641] Old visual feedback for locked objects via [Factors]OldStyleLockMark=1
- [SEQ-5651] Updated mouse cursors in arranger, docker, and MIDI editor to better show what mouse dragging will do depending on the area you mouse over
 - Drawing a selection frame
 - Selecting a range
 - Drawing a curve
 - Moving an item
- [SEQ-8023] Changed default object background color (Carbon only)
- [SEQ-7791] Optimized separator between tracks
- [SEQ-7998] Hovering mouse over grid bar shows range cursor
- [SEQ-8031] Restructured object menu
 - Access to recently used object menu commands
- [SEQ-7818] In object footer, a text "Warp" is displayed if at least one AudioWarp marker is present in object
- SEQ-2916 Extended mouse overs (Zoom, Volume, Pan,...)
- SEQ-6841 Reduced flickering of play cursor + drawing fixes
- SEQ-6058 Fix for object footer display in surround folder
- SEQ-6843 Improved mouse handling for object's crossfade area
- SEQ-6740 Object drawing glitches - fixed
- SEQ-6555 Inserting folder after folder goes wrong - fixed
- SEQ-6594 Improved track exchange speed when moving multiple tracks + show wait cursor
- SEQ-6872 Draw always full object when "Draw while move" is activated
- SEQ-2997 Prevent placing audio or MIDI objects on a video track, and also the placement of video objects in non-video tracks.
- SEQ-7079 Video tracks can be added via menu Track > Add tracks > Video track
- SEQ-6394 Arrangement text and separator line for marking upper and lower track area in Universal Mouse mode is only shown on selected track
- SEQ-7143 Improved beat and beat sub-division display in grid
- SEQ-7153 Folder symbol for empty folder tracks fixed
- SEQ-6410 Sub folders of folder tracks don't expand automatically anymore
- SEQ-6508 Multiple objects or automation nodes from a multiple selection can be deselected again via Ctrl key + lasso selection. To add multiple elements to a multiple selection use Shift key + lasso.
- SEQ-6895 Option for adapting samplerate when copying and pasting tracks from a project with a different sample rate
- SEQ-6284 Restrict fade-in length to maximum fade-out end position for symmetrical crossfades
- SEQ-6821 New vertical zoom command "Zoom to selected track(s)"
- Better object volume handling
 - SEQ-7014 Mouse pointer is hidden while vertical dragging for easier adjustment of objects near upper screen edge
 - SEQ-7260 Change volume by mouse dragging the numerical volume display in object footer
 - SEQ-7247 Object volume now changes in 0.1 dB steps (0.01 dB with Shift pressed) independent from track height
 - SEQ-7291 For coarse object volume adjustment use Ctrl key + dragging
- **Reworked Crossfade Editor**
 - New window with controls and waveform
 - Direct fade and object editing via integrated arranger view
 - Remembers its position
 - Old behavior still available with [Factors] OldSemiModalSequoiaCrossfadeEditor=1
 - [SEQ-8298] Keyboard shortcut K for "Keep fade" didn't work
 - [SEQ-8298] New Keyboard shortcut Shift+K to access menu for setting in and out point
 - [SEQ-8023] Skin is switched with arranger skin + optimized colors

- Mixer / Track Editor / Object Editor
 - **Dockable Mixer**
 - vertical scroller is available
 - sections collapse automatic when mixer is been docked
 - improved automatic resizing
 - buttons on the left side for section visibility
 - [SEQ-7073] **Mixer can have longer faders**, when increasing size
 - Copy all plug-in-slots via drag'n'drop of plug-in button
 - SEQ-6962 "No effect" menu entry renamed to "Remove plug-in"
 - [SEQ-8049] Smaller edit steps with mousewheel and arrow keys when using Ctrl+Shift keys together (especially using 0.01 dB for volume / gain)
 - [SEQ-8252] Apply track timeshift to multiple selected tracks
 - [SEQ-7877] [SEQ-7741] Reset EQ commands now fully remove the EQ116 instances
 - [SEQ-6957] AUX Sends are now created without initialization to -89 dB
 - Active sends with level -inf / off are still marked active now
 - Send level for new AUX buses can now be adjusted directly after first mouse click, no need to set the level with a 2nd click any more
 - [SEQ-5663] Object editor AUX bus creation is now also possible with bypass switch (+ some fixes)
 - [SEQ-7353] + [SEQ-7657] Mixer: With Sends on fader, the color of a faders shows, whether the send is pre-fader, post-fader, or direct-out
 - This can now be set on the fader via context menu as well (including multiple selection)
 - SEQ-6724 Show track color in new carbon track editor (vertical)
 - SEQ-5633 Show hand grab cursor with a plus when copying plugins
 - SEQ-6724 Track move line in mixer was sometimes not erased correctly - fixed
 - SEQ-6539 Missing apply to all menu button in object editor max / midi - fixed
 - SEQ-5833 Track Editor: EQ + Aux dropdown menus
 - SEQ-6375 Track Editor accessibility setting (for similar handling as in mixer)
 - SEQ-6809 Possible display problem with input section in older mixer skins - fixed
 - Bugfixes
 - [SEQ-8109] Change from 'VCA' to 'AUX' button labeling wasn't reverted after switching off sends on fader
 - [SEQ-8253] Track output field in mixer were shown partly black when the track had no color and were routed to more than one buses
- **Effects / Routing**
 - **New and optimized support for external hardware effects**
 - New entry "external FX" available in the plug-in browser for adding a new instance to an effect slot
 - Latency detection
 - Mono handling
 - Input, output and gain
 - Multiple instances on one track possible
 - only available with Hybrid Engine
 - New stereo enhancer algorithm which doesn't increase the gain of the mono signal (new default mode for new projects)
 - old projects are not affected
 - [SEQ-7927] Unified default stereo enhancer algorithm for objects and new AUX sends with new tracks
 - **Dockable Plug-in-Browser**
 - New dockable plug-in browser can be added via the '+' button in the docking manager
 - adds the plug-in to the last selected object or track (via 'Add' button or pressing Enter)
 - multiselection (tracks & objects) is considered
 - drag & drop of plug-ins from the search result list on track head, track editor, mixer, objects, routing widget or VSTi manager
 - ARA / Plug-ins
 - [SEQ-6904] **ARA plug-ins can now be inserted as track effects**
 - Plug-in instances are automatically inserted into all track objects, also when new objects are added (e.g. after drag'n'drop or loading of audio to this track)
 - More supported ARA2 plug-ins:
 - SEQ-7152 Acoustica
 - SEQ-7246 Syncro Arts Repitch
 - [SEQ-7971] ARA support for ASAP Spectral Surface and ASAP Pitches Brew Plug-in
 - [SEQ-8208] SpectraLayers has a docking window like Melodyne
 - [SEQ-8203] Support for drag&drop files from VST plug-ins to the host project
 - e.g. for SpectraLayers
 - [SEQ-7863] Allow processing for shortcuts in VST plug-in windows, if shortcut is marked as "global"
 - DynamicEQ updated to 1.0.45
 - Oversampling as a per-preset parameter added
 - No processing of disabled EQ bands
 - Problems in user preset implementation - fixed
 - SEQ-5603 **Softube Console 1 Support**

- Automation
 - Improved thin out function of automation points
 - An automation lane is able to have a range for editing the automation data (available via click on automation lane when a range is active on the track)
 - [SEQ-6712] Deletion of ranges of track automation optimized: No automation points are created at selection borders if a curve is flat in that range
 - [SEQ-7299] Prevent automation ramp from project start when creating an automation point via double click and then dragging it
 - [SEQ-8039] Drawing on objects with volume automation mouse mode automatically activates volume curve for objects (similar to track automation behavior)
 - [SEQ-7958] "Delete all curves" now works for multiple selected tracks
 - SEQ-5801 Update between Track Editor automation fader and automation lanes
 - Update between Stereo Editor dialog and automation fader
 - SEQ-6870 Improvements in consistency with Hide / Show automation lanes
 - "Show lanes for all curves" command now always creates new lanes if not existing
 - Prevent lane creation when switching active curve
 - Track automation mode - Handling of pan or volume lane creation using trackhead buttons
 - Automation lane "minus" button could keep its checked state even after removing lane - fixed
 - SEQ-6579 Commands for moving objects via menu/shortcuts (Ctrl+alt+shift+arrows) also move selected automation points, depending on last selection
 - SEQ-7202 Zoom tool didn't work in automation lanes - fixed
- Import / Export
 - **Overworked export and track bouncing dialog**
 - New naming template options
 - New preset handling
 - Integrated marker split options
 - New example text shows a preview for the exported filename
 - Quick info texts show overview over current settings of collapsed sections
 - User export presets
 - are loaded from and stored under "[ProgramData]/fx-presets/ExportPresets"
 - (old location was "[ProgramData]/fx-presets")
 - old export presets can be manually copied into that folder and should be listed when opening the export dialog
 - 
 - can be drag'n'dropped from file browser to preset list
 - context menu for presets via right-click
 - "Update with current settings" option
 - Changed menu structure for export functions
 - renamed menu command to "Export..."
 - export presets are listed below this command and replace old export commands
 - default Ctrl+E or other shortcuts for WAV or surround export are automatically remapped to new export
 - other functions are sorted in "Export MIDI", "Export Video" or "Extended Export" submenus
 - old "Save in format" for WAV projects also replaced by new export dialog
 - Keyboard shortcuts can be assigned to export presets in main menu
 - Last used preset available in dialog and main menu
 - Meta data editor (ID3) can be called from AAC format options
 - [SEQ-7479] + [SEQ-7480] **Multi-format export**
 - Multiple audio formats can now be exported simultaneously
 - In the *Export* dialog, there is now a list of available export formats
 - It is possible to select multiple formats via the corresponding checkboxes
 - [SEQ-7879] For quickly selecting a single export format, double-click the corresponding checkbox
 - Format-specific settings are located next to the format list
 - To select which format setting is currently edited, click the corresponding format name
 - [SEQ-7482] New *Use current project sample rate* option
 - If checked, this will always prevent resampling
 - Useful when working with export presets and the *Export with previous settings* command
 - [SEQ-7890] Check sample rate compatibility for each selected codec before starting
 - [SEQ-7751] ISRC and [SEQ-8059] CD / MP3 properties in export dialog naming template editor added
 - [SEQ-7891] Change the unit of the export length directly in the export dialog
 - [SEQ-8112] New option 'Move to recycle bin when overwriting' - When a new export overwrites existing files, these are deleted to the recycle bin for a possible restore.
 - [SEQ-8085] Button text "Browse..." replaced with folder icon
 - [SEQ-7498] Select ten most recent custom folders from list
 - [SEQ-8187] Resampling quality button is deactivated if no sample rate change is active
 - [SEQ-8196] When activating an file format, the corresponding format settings are now shown automatically
 - [SEQ-8097] New option to consolidate bordering objects: Glue selected objects until silence
 - [SEQ-8188] Renamed default export file naming template to "Project Name"
 - only for new installations or if a user deletes all naming templates
 - SEQ-7028 'Export to: Choose folder later' remembers selection during current session
 - SEQ-6816 Skip hybrid engine latency for realtime bouncing / mix to file
 - Bugfixes
 - [SEQ-8220] Pressing the 'x' button in the 'Overwrite existing files?' query dialog didn't cancel exports
 - [SEQ-8219] Multitrack Export: Wrong file naming with option 'Choose Name later'
- New "Export list" dialog - replaces and extends old multi job export
 - [SEQ-7600] Can be opened via

- Main menu: "File" > "Export list..."
 - "Export" dialog: New "Open export list..." button
- EDL import/export
 - [SEQ-8024] CMX-EDL-Export: extended compatibility with Premiere Pro, DaVinci Resolve, Media Composer and Pyramix
 - [SEQ-8096] Export for Sequoia EDL, CMX3600 EDL, and compatibility EDL combined in one dialog and menu command
- [SEQ-7929] Project Files Dialog includes files referenced in revolver tracks
 - Project files dialog will open automatically if referenced files are not found
- [SEQ-6819] Load files only to clipstore now also uses copy options (e.g. copy file to project folder)
- Batch processing
 - [SEQ-7374] New resampling quality options for SoX algorithm
- Waveform display in File Browser
 - Play start/stop with middle mouse button
- DDP Export is now directly available in main menu
- Docking
 - [SEQ-6793] Window order in Docker and menu now synchronized with main View menu
 - [SEQ-6101] Change wording from "Monitoring" to "Monitoring section" in the + menu of the docker
- Hardware Controller / Eucon
 - [SEQ-8110] Assign macros to Eucon hardware controller buttons
 - [SEQ-7420] Suppress error message during startup if EuCon is not installed and EuCon option was set
 - SEQ-3929 Extended PreSonus Faderport support for Faderport (v2), Faderport 8 and Faderport 16, see separate document "PreSonus FaderPort Support EN.pdf" in program folder.
 - SEQ-7244 Improved coexistence of Faderport or other MIDI controllers with EuCon
 - Master's stereo enhancer jumps when activating MONO in any channel strip - fixed
- MIDI
 - **MIDI-Plug-ins**
 - Support for MIDI VST plug-ins
 - New option in Plugin-Browser for adding a plug-in as a MIDI plug-in (dropdown option at 'Add' button)
 - MIDI Plug-ins are routed before VSTi and audio effects
 - SEQ-7351 Plug-ins inserted as MIDI plug-ins remember this when inserted again from "recently used" plug-in browser tab or menu
 - They can also be added as MIDI plug-in to Favorites from there
 - only available with Hybrid Engine
 - **MIDI Sender / Receiver**
 - Effects only receive MIDI if "Receive MIDI" is activated in plug-in menu of the effect
 - is set automatically for VSTi and MIDI plug-ins (not changeable)
 - is set automatically for projects created with previous versions
 - "VST MIDI Out" has been renamed to "Send MIDI"
 - instead of the track option "VST MIDI Recording" a MIDI send plug-in can be chosen directly
 - caution: this is not compatible with old projects. Send plug-in still needs to be chosen manually
 - MIDI-In button in track editor is highlighted in case of receiving MIDI from a MIDI sender plug-in
 - Known issues
 - Currently only routing to VSTi is supported, no external MIDI devices
 - Bouncing doesn't consider MIDI-through state, sender plugins are always processed
 - MIDI sends from VST FX are delayed by one buffer while bouncing, while MIDI sends from other VSTi or MIDI plug-ins not
 - only available with Hybrid Engine
 - MIDI Editor
 - Moving view with dragging middle mouse button. New option in mouse wheel settings.
 - Grid snapping for CC-Events. Available via holding ALT key if grid snapping is active.
 - Highlight current Object per default active
 - Automatic MIDI recording/arming for selected MIDI tracks now works for multiple selected tracks
 - Missing menu entries added to main menu
 - CC events displaying optimization grid lines are drawn in background
 - MIDI Object Editor: new checkbox "keep musical position..."
 - This allows single MIDI objects to keep sample position when the tempo map changes (useful for film sound design/foley using MIDI events)
 - Warning when deleting a VSTi
 - Default activation of MIDI pre-recording and note-on chasing
 - MIDI input device default to "All"
 - [SEQ-3435] Tempo maps are now considered by looped MIDI objects
 - [SEQ-7382] Copying/pasting MIDI with active tempo map works now correctly
 - [SEQ-5429] MIDI arranger notes coloring improved for better contrast with different background colors.
 - [SEQ-6615] The pitch range of a MIDI object displayed in the project window is now only the range actually used by the contained notes.
 - This behavior can be turned off under *View options > Vertical MIDI auto zoom*
 - [SEQ-7452] Quantize settings dialog (Toolbar and MIDI editor): Enable "End Q" to quantize note ends
 - [SEQ-7484] MIDI objects in project window: Notes of muted objects are colored grey like with single muted notes
 - [SEQ-7501] Support for Harmonica and 7 more Music Maker shop instruments
 - [SEQ-4500] Performance Issues with Vita Organ - fixed (download new version 2.6)
 - [SEQ-7609] Extended soft split for MIDI (experimental, activated by ini entry [Factors] SplitNotesWhenSplittingMidiObject=1)
 - If soft split is enabled, MIDI notes on object edges are splitted when MIDI objects are splitted
 - Onscreen MIDI Keyboard
 - height can now be changed
 - [SEQ-8122] added scrolling with mouse wheel and zooming with ctrl + mouse wheel

- MIDI Editor
 - SEQ-6576 MIDI Editor tooltips of CC-events
 - SEQ-6617 MIDI editor glue and split functions work now for all selected events
 - SEQ-6617 MIDI editor glue and split functions didn't consider object assignment when editing multiple objects - fixed
 - SEQ-6491 Restrict velocity drawing to selected events if selected
- SEQ-6716 Convert Yamaha note-offs for VST plugins
- SEQ-6885 Support for VST3 LegacyMIDICCOOutEvent
- SEQ-6894 Adding VSTi to VSTi Manager via plugin browser didn't work - fixed
- Accessibility
 - SEQ-6375 Track Editor accessibility
 - Controls grouped in sections (similar to Object editor)
 - Sections can be switched with (Shift +) F6
 - SEQ-7104 Backwards cycle through Docker tabs with Shift + Ctrl + Tab
 - New focus handling for Docker tabs
 - Shortcut for a window switch to this window if not active
 - Active windows are closed with shortcut
 - SEQ-7054 improve shortcut display for keys on the numeric pad with NumLock off
- More
 - [SEQ-7475] Accelerated mouse handling for link curves to objects
 - [SEQ-6168] Accelerated switching of revolver tracks
 - [SEQ-7872] Vertical scrolling by mouse wheel dependent on project zoom
 - [SEQ-7895] Reduced memory usage of EQ116, especially when used in a lot of object instances
 - [SEQ-7867] Video, folder, tempo and surround tracks/busses aren't listed in the menu for track output recording any more
 - [SEQ-7874] WMA export removed
 - [SEQ-6169] Revolver track revision numbers synced for multiple selection: now all tracks get the same revision, so internal revision don't has to be displayed anymore
 - [SEQ-7937] Track manager: change track color with single click instead of double click
 - [SEQ-7957] GUI_NoFocusHandlingWithMixerShortCut.INZ added for disabling new focus handling (introduced with build 22 554)
 - [SEQ-7897] "Client/Label" and "Working order" fields in CD burn-dialog TOC are empty in new projects
 - [SEQ-7912] Warning when disabling options that are needed for warping + tooltips when hovering over a warp marker with deactivated warping
 - [SEQ-7541] Rename "Zoom to selected track(s)" command in some languages (DE)
 - [SEQ-7536] Adjust some wording and positions in view options
 - [SEQ-7603] Toggle Loop mode now has the default short cut [Shift] + [L]
 - [SEQ-7830] Color button in object editor now changes the object background color
 - [SEQ-7828] Use color / palette menu in track manager and object editor
 - [SEQ-7163] Folder picker uses new Windows UI
 - [SEQ-7677] Some localization changes for creating stereo objects from mono objects
 - SEQ-6839 Update Canis & Carbon Skin for Automation Panel and several Skin Fixes
 - SEQ-6853 Visibility of status bar is now saved in workspace (xml)
 - SEQ-6859 New font in Panner and optimized symbols
 - recalculating graphics now is done in background
 - Wide play cursor can now be enabled for all skins in view options (default off)
 - SEQ-6706 External Tools: automatic Sound Forge Pro 16 detection
 - SEQ-7148 Peakmeters for monitoring section and external effects improved: Reset peak max and clipping LED via click
 - SEQ-7231 Options for ASIO dropout display/markers in extended recording settings
 - SEQ-6763 Workspace menu now includes options for editing and saving workspaces that were only available via right click before

- Bugfixes

- [SEQ-8038] Marker reference to object on track one: after moving that track one to another position, the marker reference stayed on track one instead on that object
- [SEQ-8215] Possible crash with Blackmagic video card
- [SEQ-5839] "Link left" object modes did not reset on second mouse click
- [SEQ-7175] For "link left" object modes, ripple of markers moved markers to wrong position
- [SEQ-8185] [SEQ-8210] Crashes and drawing issues when using option "Use destination mixer for source projects"
- Shared mixer for source/destination - video track is now ignored for matching tracks
- Spectral Cleaning multitrack editing
 - [SEQ-8125] Track selection didn't work in some cases
 - [SEQ-3878] Track selection box with more than 99 tracks was broken
 - [SEQ-3878] Menu break in track selection box for better handling
 - more fixes see below
- Hardware controller
 - [SEQ-8226] Opening mixer did reset controllers assigned by MIDI learn function
 - [SEQ-8141] Help button or F1 opened wrong or no help window
- [SEQ-8236] Take lane editing problems after inserting or re-ordering tracks while take lanes were open
- [SEQ-8216] Multichannel files could not be loaded multiple times
- [SEQ-8211] Re-linking virtual stereo files did not work
- [SEQ-8244] Distorted audio when using surround AUXes without own pan setting
- [SEQ-8181] Wrong display of object handles with active object footer and disabled 'Volume handles on top' option
- [SEQ-8189] Export to 24Bit Wave - CD markers could disappear from wave project
- [SEQ-8249] Crossfade settings: Default absolute zoom width could not be set below 500 ms
- [SEQ-8235] Object resampling could still be marked as active after reverting project sample rate change
- [SEQ-8028] Link curves to objects didn't work for submix folders
- Plug-ins / FX
 - [SEQ-8169] ARA crash fix: Some plug-Ins do not support multiple projects at the same time
 - [SEQ-8234] When copying multiple tracks with VSTi to another project, only the first VSTi was transferred
 - External FX
 - [SEQ-8269] Warning when inserted / opened without hybrid engine
 - [SEQ-8259] Crash when closing project or program with open external FX dialog
 - [SEQ-7854] External FX dialog window caption now correctly displays 'External effect' instead of 'External FX'
 - [SEQ-7854] 'External effect' dialog caption didn't show track and slot number like in other plugin dialogs
 - [SEQ-8043] The 'External effect' dialog was not hidden on project change although the option to keep it open was disabled.
- [SEQ-8135] Audio gaps when importing CDs with resampling
- [SEQ-8145] AIFF Reader updated, some 24Bit AIFF files were not imported correctly
- [SEQ-7336] Improved MIDI editor drawing performance
- [SEQ-8123] AAF Export: possible crashes with option 'Convert stereo objects' fixed
- [SEQ-8079] Stereo objects from mono objects: Wrong channel assignment with interleaved wave files fixed
- [SEQ-8079] Stereo objects from mono objects: Stereo objects get time stamps from mono files
- [SEQ-8165] *Loudness Adjustment* dialog: Small error in DE localization fixed
- [SEQ-7631] File names for recording taken from track names were wrong on first project save
- [SEQ-7472] Export dialog is shown on main screen when last position is unavailable (2nd monitor).
- Mixer
 - [SEQ-8126] Wrong surround peakmeter display after mixer resize
 - [SEQ-8204] Missing mouse-over reset after right click on automation button in mixer
 - [SEQ-8176] Wrong mixer fader scaling when mixer size was reduced
 - [SEQ-7939] Keep mixer height when changing projects
- [SEQ-8180] The track color setting for tracks with recording in progress was not used
- [SEQ-8144] Unintentional multi-selection of markers after using CD index manager
- [SEQ-8144] Issues while moving markers beyond other markers
- [SEQ-8042] Save complete VIP: Correct handling of files with equal file names in different sub folders of the project folder when "Keep project sub folders" was disabled.
- [SEQ-5124] Issues with project names starting or ending with spaces - these are stripped now
- [SEQ-8231] Multiselection for controls in arranger (e.g. monitoring) didn't work correctly
- Monitoring
 - [SEQ-8212] Correct handling of a bus named "Master" in addition to the stereo master in monitoring section
 - [SEQ-8154] Some monitoring section texts were wrongly formatted
- [SEQ-8155] [SEQ-6417] Time display: Performance improvements and bug fixes
- Spectral Cleaning
 - [SEQ-8119] Restore modal state after opening system settings to prevent crashes
 - [SEQ-8036] Window position on secondary screen wasn't restored
 - [SEQ-8118] Cursor jumped to view start after editing
- [SEQ-7903] Non-functional "Export to Video Pro X" command removed
- [SEQ-7805] Load / initialize warp markers correctly for objects with missing audio files
- [SEQ-7667] Maximized state of floating docking windows were not restored after reopening the program
- [SEQ-6643] Discarding a recent recording is not possible when the object was edited while recording (in according mode "Playback & editing independent of recording"), the option to discard the recording is skipped in this case now.
- [SEQ-5099] Objects could be pasted into tempo tracks
- [SEQ-7948] Recording punch-in after entering a loop created unintended objects
- [SEQ-7995] Playback jumped when soloing/muting an object with warp markers and the object editor was visible
- [SEQ-7976] Playback with 'Continuous playback while editing' playback mode jumped when loop mode was on and the play cursor was set before the loop start

- [SEQ-8022] Display issues with minimum / maximum automation values
- [SEQ-7646] Refresh track output routing in mixer was missing when routing fallback to default device was used after deleting tracks
- [SEQ-7896] External tools dialog: missing localizations (ES, FR)
- [SEQ-7747] Track AUX send automation could use wrong values after stopping playback
- [SEQ-7970] Mixer fader remained blue after changing track type back from submix to normal track
- [SEQ-8025] Track naming refresh was missing for External Effects and Plugins after Undo
- [SEQ-7538] Waveform graphic glitches when Pre-recording option was active
- [SEQ-8001] Double click between 2 markers in the marker track created a range for the first track only
- [SEQ-8076] 'Building Graphic' hanged after loading interleaved wave via file manager
- [SEQ-6547] Menu command / shortcut for track phase invert didn't work for multiple selected tracks and neither respected the "only invert left channel" setting
- [SEQ-7956] Buttons for volume / pan curve activation didn't work for multiple selected tracks
- [SEQ-8078] Using the command "Remove unused curves" on tracks without automation crashed the program
- [SEQ-8016] Loop length changes of looped MIDI objects in object editor were not drawn
- [SEQ-7925] Wrong menu break in context menus might result in invisible entries
- [SEQ-8072] Object editor changes for different objects were collected in one undo step
- [SEQ-7853] Prevent ripple with "Link markers to objects" if markers are locked
- [SEQ-7777] [SEQ-7983] Several fixes and improved performance for cursor drawing
- [SEQ-8011] External tools dialog: several fixes
- [SEQ-8086] Timestretching / Pitch shifting: several fixes
- [SEQ-7892] Help browser was sometimes opened twice when using F1 and some help topics were missing
- [SEQ-7892] Removed obsolete "Help Index..." main menu entry
- [SEQ-8037] Wrong drawing of MIDI notes after soft split
- [SEQ-7937] Track manager: issues with color menu handling
- [SEQ-7940] Multi Track Export: ensure each track gets its own filename
- [SEQ-7505] Some fixes for writing automation
- [SEQ-8073] Missing marker redraw for "Link markers to objects" after using menu commands or shortcuts
- [SEQ-3432] Track comments were not copied with tracks
- [SEQ-8058] Track latency shift was not copied with tracks
- [SEQ-8102] Issues with Zoom to selected tracks when all tracks are visible
- [SEQ-8111] Crash when adding multiple hardware controllers
- [SEQ-8115] [SEQ-8116] Several issues with mixer, crossfade editor and arranger drawing when forcing application defined DPI scaling
- [SEQ-8124] VST3: no output for some plug-ins (e.g. Acon Digital Remix)
- [SEQ-8301] Possible missing break in side chain menu, if folders were present
- [SEQ-8264] Incorrect position when loading resampled multi channel file into a new folder
- [SEQ-8208] Fixed background color for Melodyne/SpectralLayers docking window
- [SEQ-6420] Monitoring section plugin menu didn't work with "FX always on top"
- [SEQ-7937] Track manager: drag'n'drop didn't work correctly anymore (Build 23115 only)
- [SEQ-6611] wrong position of edit fields in managers
- [SEQ-7295] gnudb cd online search didn't work anymore
- [SEQ-7669] gnudb cd info: unicode problems with some special letters
- [SEQ-5398] keyboard input was partly absorbed by host in edit controls of vst plug-ins (e.g. Melda plug-ins)
- [SEQ-7446] Wrong wording for "Reset Quantization" in some languages
- [SEQ-7964] Disable vertical scrolling for wave projects
- [SEQ-8035] Track manager list import for didn't work for more than 99 tracks
- [SEQ-8013] Shortcut list export would not work if *Project Files* directory did not exist (e.g. after switching to another language)
- [SEQ-5849] missing drawing of object automation for max values
- [SEQ-8026] Export dialog: incorrect format extension for example file name
- [SEQ-4349] Fixed graphical issues that occurred after resizing the soundpool manager to minimal height
- [SEQ-8045] Marker track: markers outside visible area still could be grabbed after zooming or scrolling operations
- [SEQ-8056] Problems with setting project position to project start by click in left timeline border, now the gap between marker/grid buttons and timeline is increased
- [SEQ-5408] Issues with damping fader of Denoiser
- [SEQ-7986] MIDI editor: some cursors were incorrect for the scrollers
- [SEQ-8004] Unwanted minimizing of other tracks when "Maximize tracks automatically" is on
- [SEQ-7845] Optimized text colors in managers
- Record dialog: 'Resampling to 44.1 kHz' can't be activated
- [SEQ-6965] Redrawing issues for track visualization and monitoring (track fx engine)
- [SEQ-7954] ARA support for Auto Align 2 plug-in
- [SEQ-7973] Missing undo step creation for routing tracks to submix bus
- [SEQ-7882] Occasionally missing display of play cursor in wave projects
- [SEQ-7952] Take markers in projects could overwrite existing punch markers
- [SEQ-7900] Takes changed their lanes unexpectedly when changing object borders
- [SEQ-5774] Noise garbage with room simulator when resampling impulse responses
- [SEQ-7928] Save as... for projects could provoke a crash if multiple revolver tracks were included
- [SEQ-7922] Take lane issues with freeze/glue
- [SEQ-7946] Old takes were shown with imported files or other new objects
- [SEQ-7905] Missing take lane updates (e.g. after take manager operations, duplicate objects,...)
- [SEQ-7930] After manually copying a project, sometimes audio files couldn't be found when switching revolver tracks
- [SEQ-7771] Changes in monitor section could trigger warning for projects created in old version
- [SEQ-7960] Shortcuts didn't work while hovering over buttons in arranger and mixer
- [SEQ-7963] Possible crash when creating a new project after drag & drop of tracks
- [SEQ-7667] Maximized state of floating docking windows was lost after minimizing and restoring the main window
- [SEQ-7993] Drawing of automation data over maximum in the first automation lane could produce jump to minimum value

- [SEQ-7877] Missing update of track routing dialog after loading a track FX preset
- [SEQ-7932] Optimized contrast for arranger beat and sub-beat grid lines
- [SEQ-6890] Missing restart of timestretching / pitch shifting after mute / solo in economy engine and also after moving object while playback
- [SEQ-6421] Avoid matching colors between take lanes and automation lanes
- [SEQ-7659] Broken object automation mouse editing inside a range and at the end of an object - some remaining issues for resampled objects fixed
- [SEQ-7934] Issues after undo
- [SEQ-7918] [SEQ-7919] Wrong text in ES language version
- [SEQ-7831] Wrong automation panel width after project loading
- [SEQ-7902] After performing Audio to MIDI Melodyne plug-in was still referenced in audio object
- [SEQ-7923] Deactivated object automations were still active
- [SEQ-7870] Icons in dockable plug-in browser were mixed up
- [SEQ-7913] Output were muted when the skin in a wave project was changed
- [SEQ-7805] Load warp markers correctly when loading projects that contain objects with missing audio content
- [SEQ-7953] Crash in accessibility mode when showing the generic VST GUI for a plugin that has less than 8 parameters
- [SEQ-7950] Problems with tempo adaption of objects when changing the project tempo
- [SEQ-7744] The small red focus triangle was not displayed in the track info (track header) if the track was dragged very small. It wasn't always visible on folder tracks either
- [SEQ-7825] Dialog 'Marker with Name and Number' showed checkbox for audio markers when not recording
- [SEQ-7800] System option "Create fades for new objects..." had started the VocAlign PlugIn - fixed
- [SEQ-7245] If ranges were selected, new tracks were inserted in unexpected places
- [SEQ-7785] There are plugins that produce stuck notes when the noteoff comes in the form of a noteon with velocity 0. This is now converted to NoteOff.
- [SEQ-7778] MUS file decoding might produce some artifact samples initially
- [SEQ-7849] Borders for lanes were missing
- [SEQ-7621] When generating file names from track names not all invalid characters are filtered out
- [SEQ-7850] Pasting copied tracks overwrites track color and resets aux sends / plug-ins even when the respective options were not selected
- [SEQ-7822] Missing or wrong shortcuts in object context menu
- [SEQ-7566] Missing refresh of track record buttons after loading or inserting tracks
- [SEQ-6862] Avoid crashes with track FX monitoring by restricting economy engine to 16 threads by restricting maximum thread number
- [SEQ-7700] Export Dialog - Preset Handling: AAC and WMA codec settings were not restored
- [SEQ-7793] Export Dialog - Multi-format export: several fixes
- [SEQ-7297] External FX presets did not show their name when loading a VIP using it.
- [SEQ-7359] Adding a tempo grid position marker during playback in tempo map grid mode added an inactive marker
- [SEQ-7610] Converting Flac to Wave was very slow
- [SEQ-7512] After manually copying the project, unfreeze could not find audio files in some cases
- [SEQ-7265] Link status was not saved in mixer snap shots
- [SEQ-7363] Broken linked channel offset in Sends on fader mode
- [SEQ-7823] Crash with trim object
- [SEQ-7623] Dialog for setting file name (choose file name later) in export dialog did not allow periods (.)
- [SEQ-7694] Show surround master output devices in mixer (again)
- [SEQ-7871] Export of tracks with VSTi output, also considering tracks that send MIDI to these VSTis.
- [SEQ-7479] Fixed 384 kHz MP3 export when exporting in multiple formats
- [SEQ-7914] Fixed several tooltip inconsistencies (VSTi slot in track editor, toolbar control for nudge object step size, ...)
- [SEQ-7081] Docker window caption was offset
- Automation
 - [SEQ-7355] Fix undo acceleration for object automation curves
 - [SEQ-7659] Broken object automation mouse editing inside a range and at the end of an object
- Recording
 - [SEQ-7439] Punch In while playback - recorded object was longer than wave
 - [SEQ-7342] Record and playback devices had an unexpected reset after using "Record standard output"
 - [SEQ-7570] Unwanted cuts after recording
- VST Plug-ins
 - [SEQ-4960] [SEQ-6629] Resizing issues with some VST3 plug-ins (iZotope Ozone, HOFA, FabFilter)
 - [SEQ-7601] VST3: no output for plug-in 'The God Particle'
 - [SEQ-5998] Checkbox "Scan user and system VST folders automatically for new plug-ins" is not initialized correctly before the first VST scan of the session
 - [SEQ-7671] When copying certain VST3 plugins between objects in the object editor, the parameter settings were not copied
 - [SEQ-7696] + [SEQ-7772] VST3: general compatibility fixes for window resize and side chain handling
 - [SEQ-7064] VST3: transmitting track color to plug-ins didn't work in some cases (wrong alpha value was used)
 - [SEQ-7899] Missing update of track name in VST3 plug-ins after moving them via drag'n'drop in mixer
- [SEQ-7576] Wave editing with SoundForge could produce a peak at the end
- Arranger
 - [SEQ-7624] Docking: Floating project windows are missing the window title update when changes are made
 - [SEQ-7433] Missing redraw of grid lines when scrolling vertically
 - [SEQ-7546] Video flicker in softscroll mode
 - [SEQ-7691] Objects were displayed shifted while scrolling horizontally
 - [SEQ-7487] Broken track head after undo called from menu or history
- MIDI
 - [SEQ-7597] Crash in MIDI-Editor when using menu command "Split notes at playback cursor position"
 - [SEQ-7567] After double-clicking on a MIDI object, it sometimes took a long time for the MIDI editor to display the content
- [SEQ-5774] Noise garbage with room simulator when resampling impulse responses

- [SEQ-7823] Crash with trim object
- [SEQ-7870] Icons in dockable plug-in browser were mixed up
- [SEQ-7566] Missing refresh of track record buttons after loading or inserting tracks
- [SEQ-7785] There are plugins that produce stuck notes when the noteoff comes in the form of a noteon with velocity 0. This is now converted to NoteOff.
- [SEQ-7960] Shortcuts didn't work while hovering over buttons in arranger and mixer
- [SEQ-6862] Avoid crashes with track FX monitoring by restricting economy engine to 16 threads by restricting maximum thread number
- [SEQ-7644] Performance problems with audio devices with more than 256 channels - fixed
- [SEQ-7713] Missing translations for effect settings dialog in some languages - fixed
- [SEQ-6166] Missing menu break for revolver tracks and some other menus - fixed
- [SEQ-7822] Missing or wrong shortcuts in object context menu
- [SEQ-7871] Export of tracks with VSTi output, was not considering tracks that send MIDI to these VSTis.
- [SEQ-4960] [SEQ-6629] Resizing issues with some VST3 plug-ins (iZotope Ozone, HOFA, FabFilter)
- [SEQ-7601] VST3: no output for plug-in 'The God Particle'
- [SEQ-7696] + [SEQ-7772] VST3: general compatibility fixes for window resize and side chain handling
- [SEQ-7064] VST3: transmitting track color to plug-ins didn't work in some cases (wrong alpha value was used)
- [SEQ-7899] Missing update of track name in VST3 plug-ins after moving them via drag'n'drop in mixer
- [SEQ-7577] Ctrl+Z shortcut for undo didn't work in Crossfade editor
- [SEQ-7359] Adding a tempo grid position marker didn't snap to quantized position anymore
- [SEQ-7952] Take markers in projects could overwrite existing punch markers
- [SEQ-7800] System option "Create fades for new objects..." had started the VocAlign PlugIn - fixed
- [SEQ-7297] External FX presets did not show their name when loading a VIP using it.
- [SEQ-7659] Broken object automation mouse editing inside a range and at the end of an object
- [SEQ-7691] Objects were displayed shifted while scrolling horizontally
- SEQ-7509 Take menu was missing in object context menu - fixed
- SEQ-7509 Take switching menu didn't work correctly in projects with many takes - fixed
- SEQ-7460 Curve generator didn't work for selected lane - fixed
- SEQ-7462 Some missing UI translations and text corrections - fixed
- SEQ-6954 Roland Cloud VSTi crashes - fixed
- SEQ-4589 Crashes with cut&paste in file manager - fixed
- SEQ-7515 External FX: Latency detection affected other opened plug-ins - fixed
- SEQ-7008 MIDI object editor
 - "Use musical tempo" was not transferred to other selected objects - fixed
 - Mute Controllers, Mute SysEx and other settings were not restored after loading a project - fixed
- SEQ-7471 View Options: Waveform color setting 'group colors' did not work in versions other than DE - fixed
- SEQ-7532 Continuous playback while editing: Playback restarted when range was changed with Shift+click - fixed
- SEQ-6739 In some places a & character in marker or project names were displayed as underline - fixed
- SEQ-7464 Casual crashes with custom toolbars - fixed
- SEQ-7362 Closing hint dialog for new FaderPort controller with Cancel opened help dialog every time - fixed
- SEQ-7584 Flawed percussive transient detection - fixed
- SEQ-7583 Wrong mixer track number after track exchange - fixed
- SEQ-7572 AUX send coloring with AUX bus color didn't work anymore - fixed
- SEQ-7574 Graphic error with mouse over at top of selected mixer track - fixed
- SEQ-7466 VST3 Instruments with multiple outputs didn't work - fixed
- SEQ-7568 Routing problems after moving multiple tracks at once - fixed
- SEQ-7436 Multiple undo steps when adding busses - fixed
- SEQ-7571 External tools didn't detect SOUND FORGE Pro Suite - fixed
- SEQ-7595 Dysfunctional checkbox "Undo for plug-in settings" removed (did only work for DirectX plug-ins)
- SEQ-7605 Surround mute/solo linking didn't work anymore - fixed
- SEQ-7239 The '_FX.wav' files (results of offline FX processing) were placed in graphics folder (with 'AllHdpFilesInSubDirectory' .ini entry) - fixed
- SEQ-7243 Wrong toolbar button states after loading workspaces or adding buttons - fixed
- SEQ-6802 Cut tool for surround (folder) tracks didn't work - fixed
- Canis skin: Range colors improved
- SEQ-6419 Flickering when resizing docking windows reduced
- SEQ-7254 Crash on right click at multiple selected object automation points - fixed
- SEQ-7271 Issues with entering time in CD MSF format - e.g. when changing (start) pause time - fixed
- SEQ-7271 Track delay display in ms or m was truncated to integer values - fixed
- SEQ-6882 Effect option "Use mixer phase switch only on left channel" is now ignored on mono tracks
- SEQ-7226 Several inconsistencies with EQ frequency automation - fixed
- SEQ-7267 Mouse clicks into windows (e.g. for closing plug-in windows) could be end up in mixer window below it - fixed
- SEQ-6518 Opening surround panner from AUX output section didn't use tabbed panning dialog - fixed
- SEQ-7142 Wrong display of time differences for bars/beats in projects with applied tempo map - fixed
 - Range length + object length now displayed correctly
 - Editing works correctly now, including relative position changes (e.g. "+1,," for 1 bar or "+1," for one beat)
- SEQ-7143 Wrong time display and snap handling with project snap offset and bars/beats snap - fixed
- SEQ-7138 Crashes after multiple import of files with a "." dot and offline resampling - fixed
- SEQ-7274 Deleting a range in automation lane caused following objects to move - fixed
- SEQ-7303 Crashes with more than 32 MIDI input devices - fixed
- SEQ-6950 Export with Preset menu commands didn't work with Wave projects - fixed
- SEQ-7294 Crossfade Editor didn't remember it's size between sessions - fixed
- SEQ-7273 Empty tracks displayed a non-zero peak level in track head peak meter- fixed
- SEQ-7292 Floating mixer didn't adapt to the number of tracks in project when changing active project anymore - fixed
- SEQ-7292 Floating mixer reduced to zero size without active project - fixed
- SEQ-7256 Objects did vanish after resizing them to zero length - fixed (by restricting minimal length to 1 sample)
- SEQ-7300 VCA faders were not updated while writing automation - fixed

- Text character display problems in CD burner drive selection - fixed
- SEQ-7290 Using Enter key instead of clicking OK button didn't work under some circumstances in hardware controller dialog - fixed
- SEQ-7309 Surround volume offset between channels (e.g. after adding a track or changing surround setup) - fixed
- SEQ-7304 Several issues with moving tracks into folders (e.g. tracks were not hidden after moving them into a collapsed folder track) - fixed
- SEQ-7341 Playback problems in Take Composer - fixed
- Canis Skin: Mixer setup button text was missing - fixed
- SEQ-4481 Possible Crash when changing tempo automation - fixed
- SEQ-7325 Problems with naming templates with track name and number for object export - fixed
- SEQ-6924 + SEQ-7393 Problems with object handles for small objects (e.g. lock handle) - fixed
- SEQ-7427 Several skin fixes
- SEQ-6909 Timestretch cursor was not displayed anymore at object end - fixed
- SEQ-6306 Export: Problem with surround and Split at markers option - fixed (Split at markers disabled for surround)
- SEQ-7159 Some problems with multiple punch-in recordings - fixed
- SEQ-6110 text input for Softube plug-ins didn't work - fixed
- Displaced calculation of object automation for timestretched or resampled objects (SEQ-6915)
- AAF Export
 - Problems with compatibility option "Track + object automation" if no object automation was present (SEQ-6077)
 - No automation export for deactivated curves anymore (SEQ-6077)
- Crashes after moving automation lines (SEQ-6944)
- Random peaks when opening spectroscope (SEQ-4660)
- Exclusive solo couldn't be used with folder tracks (SEQ-5058)
- Paste tracks: improved horizontal AUX alignment in mixer (SEQ-6880)
- Accessibility setup: crashes in MIDI object editor with (Shift+)Tab (SEQ-6390)
- VST instruments could not be added in VSTi Manager (SEQ-6894)
- Rejecting MIDI recording deleted automation (SEQ-6912)
- Problems with Plugin Browser filter settings (SEQ-6868)
- Wrong track number display in VSTi Manager (SEQ-6548)
- Crashes with tuner visualization (SEQ-6815)
- Stereo master was not muted for surround master only export (SEQ-6660)
- Keeping overview mode after closing CFE, but hiding it in CFE (SEQ-6945)
- Wrong MIDI device display in start screen (SEQ-6900)
- Overlapping text in pan/stereo editor (SEQ-6333)
- Master Fader Link: Problems with offset for old templates - fixed
- Crash while opening Audio Quantization - fixed
- Disappearing mouse cursor in mixer - fixed
- Wrong bar/beats display when using tempo map - fixed